

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	12	vaishya.in. and active same noise same control	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/10/24 19:51
S3	5	((("20030028019") or ("20030123675") or ("6449369") or ("20020097884") or ("5146505"))).PN.	US-PGPUB; USPAT	OR	OFF	2007/10/24 19:31
S4	89	siemens.AS. and active same noise same control	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/03/09 16:59
S5	57	siemens.AS. and (active same noise same control) and vehicle	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/03/09 17:01
S7	2	siemens.AS. and (active same noise same control) and vehicle and dominant	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/03/19 14:10
S8	4	("20020038647" "5485523" "5850458" "6688422").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/09 17:01
S9	18	siemens.AS. and (active same noise same control) and vehicle and order	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/03/18 19:42
S12	3	381/71.1-71.14,86.ccls. and vehicle same (active near3 noise) same RPM same throttle	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/10/24 19:05
S13	2	381/71.1-71.14,86.ccls. and vehicle same (active near3 noise) same (engine with calibrat\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/10/18 15:12

S14	6	("20020146136" "5426703" "5499302" "5517571" "5651072" "6914989").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/09 18:06
S15	35	siemens.AS. and (noise and engine and order and calibrat\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/03/09 18:10
S16	1	("5692052").PN.	USPAT	OR	OFF	2007/03/09 18:11
S17	8	((("5692052") or ("20020097884") or ("5627529") or ("5245664") or ("5940519") or ("5937070") or ("6449369") or ("6363156"))).PN.	US-PGPUB; USPAT	OR	OFF	2007/03/12 11:47
S18	153	(381/71.4).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/03/12 15:56
S19	1	("5649016").PN.	US-PGPUB; USPAT	OR	OFF	2007/03/12 11:47
S20	1	("5649016").URPN.	USPAT	OR	OFF	2007/03/12 11:48
S21	10	381/71.1-71.14,86.ccls. and (offline off-line manufactur\$3) same (active near3 noise) same (engine)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/03/13 15:01
S22	1	("20030228019").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/03/12 15:56
S23	39	381/71.1-71.14,86.ccls. and (pre-stor\$3 stor\$4 memory) with (engine) with (noise sound)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/03/13 16:40
S24	6	("20020146136" "5426703" "5499302" "5517571" "5651072" "6914989").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/13 15:09

S25	67	381/71.1-71.14,86,56,58,59.ccls. and (reference with engine with noise)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/03/13 16:00
S26	16	381/71.1-71.14,86,56,58,59.ccls. and (reference near4 engine near3 noise)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/03/13 16:05
S27	10	381/71.1-71.14,86,56,58,59.ccls. and (calibration near2 signal) same Compar\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/03/13 16:12
S28	3	381/71.1-71.14,86.ccls. and (calibrat\$3) near4 engine with (noise sounds)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/03/13 16:14
S29	3	381/71.1-71.14,86.ccls. and (calibrat\$3) with (engine near3 (noise sounds))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/03/13 16:14
S30	3	381/7\$.ccls. and (calibrat \$3) with (engine near3 (noise sounds))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/03/13 16:15
S31	35	"381"/\$.ccls. and (calibrat \$3 fine-tune adjust\$4) with (engine near3 (noise sounds))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/03/13 16:16
S32	29	381/71.1-71.14,86.ccls. and (calibrat\$3 fine-tune adjust\$4) with (engine near3 (noise sounds))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/03/13 16:18
S33	0	381/71.1-71.14,86.ccls. and (pre-stor\$3 stor\$4 memory) with microphone with response with engine with (noise sound)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/03/13 16:41

S34	4	381/71.1-71.14,86.ccls. and (expect\$2 predetermined) near4 microphone near3 response	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/03/13 16:43
S35	64	381/71.1-71.14,86.ccls. and (expect\$2 predetermined) with microphone with (output response)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/03/13 16:45
S37	21	381/71.1-71.14,86.ccls. and (expect\$2 predetermined) near4 microphone near4 (output response)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/03/13 16:49
S38	5	381/71.1-71.14,86.ccls. and (microphone near4 (output response)) with (predetermined near2 noise)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/03/13 17:04
S39	9	381/71.1-71.14,86.ccls. and (microphone near4 (output response)) with (predetermined near2 (output response))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/03/13 17:05
S40	9	381/71.1-71.14,86.ccls. and (microphone near4 (output response)) with ((predetermined manufactur\$4 expect\$2) near2 (output response))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/03/13 17:09
S41	19	381/71.1-71.14,86.ccls. and (predetermined manufactur\$4 expect\$2) near3 microphone near3 (output response)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/03/19 10:06
S42	20	381/71.1-71.14,86,94.1- 94.7.ccls. and (predetermined manufactur \$4 expect\$2) near3 microphone near3 (output response)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/03/13 17:10
S43	6	("20020146136" "5426703" "5499302" "5517571" "5651072" "6914989").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/18 19:26

S44	80	siemens.AS. and (noise same control\$4) and vehicle and order	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/03/18 19:45
S45	5	siemens.AS. and (noise same vehicle same calibrat \$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/03/18 19:46
S46	2	siemens.AS. and (active same noise same control) and vehicle and dominant	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/03/18 20:32
S47	0	S46 and (estimat\$4 near2 noise near2 source) same select\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/03/18 20:32
S48	1	S46 and (estimat\$4 near2 noise near2 source)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/03/18 20:33
S49	1	S46 and (estimat\$4 near2 noise near2 source) and inverse	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/03/18 20:33
S50	20	381/71.1-71.14,86,94.1-94.9.ccls. and (predetermined manufactur \$4 expect\$2) near3 microphone near3 (output response)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/03/19 10:10
S51	4	((predetermined manufactur\$4 expect\$2) adj4 microphone adj2 (output response)) and (noise near2 (control\$4 reduc\$4 attenuat\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/03/19 10:09
S52	30	381/71.1-71.14,86,94.1-94.9.ccls. and ((predetermined manufactur\$4 expect\$2) near3 (output response)) same microphone same noise	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/03/19 11:01

S53	1	("4417098").PN.	USPAT	OR	OFF	2007/03/19 11:02
S54	2	siemens.AS. and (active same noise same control) and vehicle and dominant	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/03/19 14:10
S55	1	S54 and "1/2"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/03/19 14:13
S56	1	S54 and cylinders	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/03/19 14:14
S57	1	381/71.1-71.14,86.ccls. and compar\$3 with (expect \$3 hypothes\$4 predict\$3) with (actualenuine literal real true) with (response)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/10/24 17:49
S58	11	"381"/\$.ccls. and compar \$3 with (expect\$3 hypothes\$4 predict\$3) with (actualenuine literal real true) with (response)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/10/18 15:15
S59	11	"381"/\$.ccls. and compar \$3 with (expect\$3 hypothes\$4 predict\$3) with (actual genuine literal real true) with (response)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/10/18 15:16
S60	1	381/71.1-71.14,86.ccls. and compar\$3 with (expect \$3 hypothes\$4 predict\$3) with (actual genuine literal real true) with (response)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/10/18 15:15
S61	89	(compar\$3 with (expect\$3 hypothes\$4 predict\$3) with (actual genuine literal real true) with response) and vehicle	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/10/18 15:16
S62	11	"381"/\$.ccls. and compar \$3 with (expect\$3 hypothes\$4 predict\$3) with (actualenuine literal real true) with (response)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/10/24 17:49

S63	11	"381"/\$.ccls. and compar \$3 with (expect\$3 hypothes\$4 predict\$3) with (actual genuine literal real true) with (response)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/10/24 17:49
S64	3	381/71.1-71.14,86.ccls. and vehicle same (active near3 noise) same RPM same throttle	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/10/24 19:05
S65	0	381/71.1-71.14,86.ccls. and engine same (active near3 noise) same (dominant near2 orders)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/10/24 19:06
S66	1	381/71.1-71.14,86.ccls. and (dominant near2 orders)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/10/24 19:06
S67	0	381/71.1-71.14,86.ccls. and (engine near2 (noise sound)) same (reference near2 (values parameters)) same (store \$1 memory)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/10/24 19:07
S68	14	381/71.1-71.14,86.ccls. and (engine near2 (noise sound)) same reference same (store\$1 memory)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/10/24 19:40
S69	6	("20020146136" "5426703" "5499302" "5517571" "5651072" "6914989").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/10/24 19:15
S70	5	((("20030028019") or ("20030123675") or ("6449369") or ("20020097884") or ("5146505")).PN.	US-PGPUB; USPAT	OR	OFF	2007/10/24 19:31
S71	3	S70 and values same table	US-PGPUB; USPAT	OR	OFF	2007/10/24 19:34
S72	3	S70 and table	US-PGPUB; USPAT	OR	OFF	2007/10/24 19:38
S73	156	(381/71.4).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/10/24 19:39

S74	29	S73 and table	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/10/24 19:39
S75	1	381/71.1-71.14,86.ccls. and (engine) and (calibrat \$3 same reference same (store\$1 memory table) same (error residual))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/10/24 19:41
S76	1	381/71.1-71.14,86.ccls. and (calibrat\$3 same reference same (store\$1 memory table) same (error residual))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/10/24 19:41
S77	9	381/71.1-71.14,86.ccls. and calibrat\$3 same reference same (store\$1 memory table)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/10/24 19:50
S78	0	381/71.1-71.14,86.ccls. and (repeat\$4 near2 calibrat\$3) and vehicle	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/10/24 19:51
S79	1	381/71.1-71.14,86.ccls. and (repeat\$4 near2 calibrat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/10/24 19:51
S80	2	vaishya.in. and active same noise same control and (repeat\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/10/24 19:52
S81	975	(381/86).OCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/04/09 19:04
S82	165	(381/71.6).OCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/04/09 19:04

S83	164	(381/71.4).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/04/09 19:07
-----	-----	------------------	--	----	-----	---------------------

4/ 10/ 08 11:44:42 AM

C:\Documents and Settings\DFaulk\My Documents\EAST\Workspaces\10606981.wsp